

PowerTac E10 Spark 380 Lumen LED Flashlight **\$59.95**

E10 Spark



380 Lumens

The PowerTac E10 Spark high-power LED flashlight is designed specifically to be the ultimate EveryDay Carrying (EDC) light. It is built with cutting-edge technology, unparalleled performance, exceptional craftsmanship, and superior reliability. It comes with a friendly user interface for simple operations and multi-functions for variable situations. It is perfectly engineered to be extremely portable and powerful with a highly focused tight beam. It delivers on design, performance, quality and reliability. Its tremendous illuminating power, extraordinary versatility, rugged built quality makes it the preferred choice of many professionals and ideal for military, police, adventurers, hunters, search and rescue and other tough or hazardous tasks. Like all PowerTac products the E10 Spark is covered by a NO HASSLE Lifetime Warranty.

- It houses a CREE XM-L latest LED that enables it to produce an amazing 380 lumen at the brightest and strobe setting.
- 180+ meter beam throw with impressive flood light to illuminate close distance.
- Intelligently designed interface for easy access to general illumination and strobe modes.
- Auto-memorization for all settings.

- One CR-123A lithium battery ensures the user 360+ hours of constant run time on the lowest setting. (The Firefly Mode)
- Unique digital circuit control technology to maximize battery life and consistent light output performance.
- Protects electronics against damage caused by improper battery installation through reverse polarity protection.
- Type III anodized finish.
- O-ring sealed to IPX – 8 water proof standard.
- High transparent optical lens.
- Machined from aircraft grade aluminum.
- Stand on tail cap to serve as lamp.
- Removable pocket clip.
- Advanced ergonomic design with anti-slip knurling and matte style finish for firm grip.
- Strong magnetic tail cap attaches to ferrous material (iron) objects.

Specification:

1. LED type: CREE XM-L U2 LED.

2. Functions: 4 Illumination Levels and Strobe Mode.

Firefly (Time)	Low (Time)	Medium (Time)	High (Time)	Strobe (Time)
1 lm (360 hrs)	25 lm (12 hrs)	230 lm (1.5 hrs)	380 lm (50 min)	380 lm (1.5 hrs)

3. Battery: Use 1* CR123A or 1* RCR123A battery (3V).

4. Size: Length: 74 mm. Bezel diameter: 23 mm. Body diameter: 20.8 mm. Tail diameter: 22 mm.

5. Weight: 49.6 g (without battery).

6. Accessories: 1 lanyard, 1 small key ring, 2 spare O-rings.

Instructions:

1. Battery installation is done by removing the tail cap. The positive end of the battery will face the bulb. Tighten the unit till it's completely closed, then click the switch to turn it on and off.
2. To turn the light on, click and release the button immediately, the light will enter memorized mode. Press and release the switch immediately again will turn the light off.

3. When the light is on, press and hold the button, the light change modes from current mode in the following order: Firefly – Low – Medium – High – Strobe and back to firefly. The last light setting used will be memorized.
4. When the light is off, press and hold, the light will turn on and enter Firefly mode regardless of memorized mode, this is for night users who would like to avoid blinding themselves.

DO NOT mix old and new batteries or different brands. This could result in explosion.