

PowerTac Warrior Generation III, 1050 Lumen LED Flashlight \$124.95

Warrior



1050 Lumens

The PowerTac Warrior Gen III high-power LED flashlight is the update version of Warrior and designed specifically to be the ultimate tactical and outdoor flashlight. It is built with cutting-edge technology, unparalleled performance, exceptional craftsmanship, and unbeatable reliability. It comes with a friendly user interface for simple operations and multi-functions for different situations. It is perfectly engineered to be extremely portable and powerful with a highly focused tight beam. It delivers on design, performance, quality and reliability. Its tremendous illuminating power, extraordinary versatility, rugged built quality make it the preferred choice of many professionals and ideal for military, police, adventurers, hunters, search and rescue and other tough or hazardous tasks.

FEATURES

- Utilizes a CREE XM-L2 U2 latest LED that enables the Warrior to produce an amazing 1050 lumen at the brightest level and strobe setting.
- 4 different brightness modes for different lighting needs and different battery runtime.

- Produces a super long throw up to 340 meters combined with an impressive flood light to illuminate objects at both long and close distances.
- Offers an intuitive, friendly user interface for effortless utility.
- Provides quick access to multiple general illumination modes and strobe feature through an intelligently designed interface for tactical and self defense uses.
- Features an auto-memorization for direct on/off access to all brightness levels plus strobe.
- Unique digital circuit control technology to maximize battery life and consistent light output performance.
- Protects electronics against damage caused by improper battery installation through a reverse polarity protection circuit.
- Assures long-lasting performance using body-parts made from aircraft grade aluminum.
- Maintains its appearance through extreme weather and rugged treatment with a tough, durable Type III anodized finish.
- Includes a lens made of tempered glass with double-sided coating that resists breakage or scratching on impact while maximizing light output.
- Preserves LED and electronic components with a superior heat sink designed for quick heat dispersion.
- Resists water damage by a precision O-ring sealed design to provide reliable use in extreme conditions.
- Advanced ergonomic design with anti-slip knurling and matte style finish for firm grip.
- Incorporates a built-in removable pocket clip.
- Operates easily in tactical situations using a push button side switch that is built into the tail cap.
- Defends against physical attack with a crenellated bezel on both the head and tail cap for self defense uses.
- Weapon mountable with optional remote pressure switch.
- Includes a high quality holster designed to fit belts of various sizes.

SPECIFICATION

1. LED type: CREE XM-L2 U2 LED.

2. Functions: 4 Illumination Levels and Strobe Mode.

Firefly (Time)	Low (Time)	Medium (Time)	High (Time)	Strobe (Time)
1 lm (305 hrs)	285 lm (5.3 hrs)	641 lm (2.4 hrs)	1050 lm (2.2 hrs)	850 lm (4.4 hrs)

3. Battery: Uses 2* CR123A or 1* 18650 rechargeable Li-ion battery, NOT compatible with RCR123A / 16340.

4. Length: 154 mm. Bezel diameter: 36.5 mm. Body diameter: 25.4 mm.

5. Weight: 160 g (without battery).

6. Accessories: 1 holster, 1 battery tube, 1 lanyard, 1 spare O-rings 1 retaining ring.

INSTRUCTION

1. Battery installation is done by removing either the head or the tail cap, the positive end of the battery will face the head. Tighten the unit until it's completely closed, then push the tailcap to turn it on or off.
2. To turn the flashlight off, push the tail cap switch to click. When turned back on, the flashlight will access the mode last used. Once turned off, simply press the side switch and the flashlight will directly go to the strobe mode momentarily.
3. To switch functions, turn the light on and press the side switch. The mode will change through Firefly – low – medium – high – strobe and then back to the Firefly mode.

DISCLAIMER

- After long periods of use on the highest setting, the surface area may get hot. Please use caution when using the flashlight in a constant high brightness level. It is recommended to let the flashlight cool down to prevent any injury.
- High intensity light is harmful to human eyes. This product is not meant to be handled by children under the age of 18 without adult supervision.
- Use the highest quality batteries to insure maximum performance and safety. Consult with the manufacturer regarding any questions or concerns.
- PowerTac's liability is voided if the light is not used in a proper manner or if modified.
- PowerTac reserves the right to change the design and/or specifications of all PowerTac products without prior notice.
- Please do not change batteries at dangerous locations such as gas stations. Batteries must only be changed or removed when light is off.
- Do not throw the flashlight into a fire as an explosion may occur.

THE POWERTAC NO-HASSLE LIFETIME WARRANTY

PowerTac warrants our illumination tools to be free from defects in workmanship and materials, including any LEDs housed within, for the lifetime of the original parts (the lifetime of the parts are specified by individual parts manufacturers). We will repair or replace your original purchase of these products, at our discretion, if it is determined by us to be defective. Electronics, chargers, and rechargeable batteries are covered for a period of two years with proof of purchase. Normal wear and tear – including lamps burning out, batteries draining, and switches wearing out – is not covered, nor is damage resulting from misuse, abuse, neglect, battery damage, use of other non-approved batteries or altering these products from their original state. Parts and accessories for illumination tools are not covered by this warranty.

WARRANTY DISCLAIMER

The above warranty is exclusive, and to the extent permitted by applicable laws, shall be in lieu of all other warranties, express or implied, including, without limitation, any warranty of merchantability or fitness for a particular use or purpose. PowerTac disclaims any and all liability for product malfunctions, physical injuries, or property damages that result in whole, or in part, from the criminal, negligent, or improper use of the product, or from modifications or alterations thereto. In no event shall PowerTac be liable for any incidental, special, or consequential damages relating to the purchase, use, or performance of any PowerTac product.

WARRANTY CLAIMS

For repair or replacement contact your Local Dealer or Customer Service below.

CONTACT

PowerTac Lighting Electronics Co., Ltd

www.powertac.com

Tel: (919) 883-5265

Fax: (877) 552-5195

Email: info@powertac.com

DO NOT mix old and new batteries or different brands. This could result in explosion.